



RESEARCH PAPER

Bio-efficacy of newer molecules against pod borer complex of Indian bean, *Lablab purpureus* (L.) Sweet

G. C. JAT*, V. K. AGRAWAL¹ AND H. L. DESHWAL²

Department of Entomology, Rajasthan College of Agriculture (M.P.U.A.T), UDAIPUR (RAJASTHAN) INDIA

(Email : mavaliyagulab@gmail.com)

Abstract : The bioefficacy of six newer insecticides molecules was evaluated against pod borer complex in Indian bean crop revealed that the treatment of spinosad (0.01%) proved most effective followed by indoxacarb (0.01%). The treatments of endosulfan (0.05%), cartap (0.10%) and malathion (0.05%) were existed in moderately effective group, however, the treatment of *Neem* oil (0.5%) was proved least effective. The order of effectiveness of insecticides against prod borer complex was : spinosad > indoxacarb > endosulfan > cartap > malathion > *Neem* oil.

Key Words : *Lablab purpureus*, Pod borer, Insecticides

View Point Article : Jat, G.C., Agrawal, V.K. and Deshwali, H.L. (2017). Bio-efficacy of newer molecules against pod borer complex of Indian bean, *Lablab purpureus* (L.) Sweet. *Internat. J. agric. Sci.*, **13** (2) : 300-304, DOI:10.15740/HAS/IJAS/13.2/300-304.

Article History : Received : 07.03.2017; Revised : 21.04.2017; Accepted : 05.05.2017

*** Author for correspondence:**

¹Department of Agricultural Zoology and Entomology, S.K.N. College of Agriculture, JOBNER (RAJASTHAN) INDIA

²College of Agriculture, S. K. Rajasthan Agricultural University, BIKANER (RAJASTHAN) INDIA