# Effect of different levels of pruning on growth and flowering of rose (Rosa indica L.) cv. GLADIATOR

#### S.T. MENDHE\*, S.D. JATURE, D.M. PARKHE AND G.K. WADEWALE

Department of Horticulture, Marathwada Agricultural University, PARBHANI (M.S.), INDIA

### **ABSTRACT**

The field experiment was conducted at Department of Horticulture, Marathwada Agricultural University, Parbhani during 2009-10 to study the effect of different levels of pruning on growth and flowering of rose ( $Rosa\ indica\ L.$ ) cv. GLADIATOR. It was observed that the pruning at 60 cm from ground level ( $T_6$ ) emerged significantly superior in increasing plant height (76.45 cm), early sprouting of buds (4.36 days), number of shoots per plant (35.10), length of flowering shoot (75.83 cm) and days to initiation of first flower (30.67 days). However, pruning at 10 cm from ground level obtained maximum diameter of flowering shoot (7.28 cm), number of leaves per flowering shoot (23.24) and leaf area per flowering shoot (1306.18 cm²).

Mendhe, S.T., Jature, S.D., Parkhe, D.M. and Wadewale, G.K. (2011). Effect of different levels of pruning on growth and flowering of rose (*Rosa indica* L.) cv. GLADIATOR. *Internat. J. agric. Sci.*, **7**(2): 309-311.

**Key words:** Pruning, Rose, Levels of pruning

## Introduction

The rose (*Rosa* species), occupies a pre-eminent place amongst the flower crops and it is one of the oldest of fragrant flower to be cultivated by man. Among the flowers, the rose has captured the heart of all. The rose flower, its different types having beautiful flower of exquisite shape, different size, bewitching colours and most delightful fragrance has made it an important flower for various uses. Rose is ultimate in beauty and perfection and therefore, Sappho, the Greek poet named, it is 'Queen of Flowers' in 600 B.C., no other flower is a better symbol of love, adoration, innocence and other virtues than the rose and not in our time only, but so it has been for thousand of years.

Rose cv. GLADIATOR is a popular hybrid 'T' rose grown for cut flowers due to its attractive colour, large size flowers with long stalk and more vase life. In Maharashtra, it plays dominant role in flower trade and hence, it is grown on a large scale in this region for production of cut flowers. The flowers of this variety are deep red, well shaped and abundantly produced on long stem (Pal, 1991).

Pruning is an important cultural operation in commercial rose cultivation. Pruning refers to the removal of certain portion of a plant. It is important for maintenance of floriferousness and flower quality along with vigour of rose plant. Correct pruning is an essential factor of success in rose growing and therefore, it should be done with precision and care (Gault and Synge, 1971).

The main objects of pruning rose plants is to remove the unproductive growth, ensure production of large number of strong and healthy shoots, which will bear flowers and improve the quality of blooms. Not much work has been done in pruning of roses in India. The object of present investigation was to standardize proper height of pruning from ground level for better growth and flowering of rose.

#### MATERIALS AND METHODS

The experiment was laid out in Randomized Block Design with seven treatments and four replications. Three year old rose plants of cv. GLADIATOR was selected for investigation. Twenty eight individual plots having spacing 120 cm x 120 cm between plants and plot size of 23.04 m<sup>2</sup> were demarcated. The fertilizers nitrogen, phosphorus and potash were applied @ 100:50:50 kg/ha in the form of urea, single super phosphate and muriate of potash, respectively. Half of the N, full P and K were applied immediately after pruning. Remaining half dose of N was applied in two split doses. Pruning of rose plants was undertaken at various levels according to treatments. The treatment details are as follow: T<sub>1</sub>-Pruning at 10 cm from ground level, T<sub>2</sub>-Pruning at 20 cm from ground level, T<sub>3</sub>-Pruning at 30 cm from ground level, T<sub>4</sub>-Pruning at 40 cm from ground level, T<sub>5</sub>-Pruning at 50 cm from ground level, T<sub>6</sub>-Pruning at 60 cm from ground level and  $T_{\tau}$ -Control (no pruning).