## A Case Study



DOI:

10.15740/HAS/ARJCI/5.2/229-231

Visit us: www.researchjournal.co.in

## AUTHORS' INFO Author for correspondence: R. KANDASAMY

Department of Horticulture, Faculty of Agriculture, Annamalai University, Annamalia Nagar, CHIDAMBARAM (T.N.) INDIA

## Electrophoretic characterization of genotypes of cucumber (*Cucumissativus* L.) based on seed protein profiles

R. KANDASAMY

ABSTRACT: Twenty germplasm lines of cucumber (*Cucumber sativus*) were characterized by sodium dodecyl sulphate polyacrylamide vertical slab gel electrophoresis (SDS-PAGE). The seed protein could be resolved into total 11 bands distributed in 3 zones *i.e.* A, B and C. Zone A has 5 bands, zone B has 3 bands and zone C included 3 bands. Based on electrophoregrams genotypes were classified into 6 dissimilar groups. It was possible through seed protein profiles to distinguished morphologically similar genotypes. Hence, seed protein profiles proved useful in identifying cucumber genotypes.

Key Words: Electrophoretic characterization, Genotypes, Cucumber, Seed protein

How to cite this paper: Kandasamy, R. (2014). Electrophoretic characterization of genotypes of cucumber (*Cucumissativus* L.) based on seed protein profiles. *Adv. Res. J. Crop Improv.*, **5** (2): 229-231.

Paper History: Received: 12.11.2014; Accepted: 25.11.2014