DOI: 10.15740/HAS/IJPS/11.2/255-261 Visit us - www.researchjournal.co.in

RESEARCH ARTICLE

Exploration of fungicides against *Fusarium oxysporum* f. sp. *ciceri* (Padwick) Snyder and Hansen causing wilt of chickpea

■ D.S. THAWARE, O.D. KOHIRE, V.M. GHOLVE, S.L. BUDGUJAR AND A.A. CHAVAN

SUMMARY

Six systemic, six non-systemic and contact fungicides were evaluated, *in vitro* against *Fusarium oxysporum* f. sp. *ciceri*; however, the percentage mycelial growth inhibition was found to be increased with increase in concentrations of the test fungicides. All the systemic, non-systemic and contact fungicides tested, however, among the systemic fungicides, carbendazim, carboxin and benomyl and among non-systemic and contact fungicides, carbendazim + mancozeb, benomyl+thiram and carbendazim + thiram were found inhibit the growth of the test pathogen completely.

Key Words: Systemic fungicides, Non-systemic fungicides, Contact fungicides

How to cite this article: Thaware, D.S., Kohire, O.D., Gholve, V.M., Budgujar, S.L. and Chavan, A.A. (2016). Exploration of fungicides against *Fusarium oxysporum* f. sp. *ciceri* (Padwick) Snyder and Hansen causing wilt of chickpea. *Internat. J. Plant Sci.*, **11** (2): 255-261, **DOI:** 10.15740/HAS/IJPS/11.2/255-261.

Article chronicle: Received: 29.12.2015; Revised: 24.04.2016; Accepted: 05.06.2016

MEMBERS OF THE RESEARCH FORUM

Author to be contacted:

D.S. THAWARE, Department of Plant Pathology, College of Agriculture, Vasantrao Naik Marathwada Krishi Vidyapeeth, PARBHANI (M.S.) INDIA **Email:** sanju.6771@rediffmail.com

Address of the Co-authors:

O.D. KOHIRE, V.M. GHOLVE, S.L. BUDGUJAR AND A.A. CHAVAN, Department of Plant Pathology, College of Agriculture, Vasantrao Naik Marathwada Krishi Vidyapeeth, PARBHANI (M.S.) INDIA