THE ASIAN JOURNAL OF HORTICULTURE Volume **9** | Issue 1 | June, 2014 | 116-119 e ISSN- 0976-724X | Open Access-www.researchjournal.co.in

Research Paper

Article history:

Received: 12.11.2013 Revised: 25.04.2014 Accepted: 04.05.2014

Members of the Research Forum

Associated Authors:

¹Department of Horticulture, Sam Higginbottom Institute of Agricult4ure Technology and Science, Naini, ALLAHABAD (U.P.) INDIA

Author for correspondence : S.K. SINGH

Department of Horticulture, Sam Higginbottom Institute of Agricult4ure Technology and Science, Naini, ALLAHABAD (U.P.) INDIA

Email: sandee phort 0233@gmail.

com

Evaluation trial of bottle gourd

■ B. SINGH¹ AND S.K. SINGH

ABSTRACT: The present study entitled evaluation trial of bottle gourd was carried out at Experimental Farm of the Department of Horticulture, Sam Higginbottom Institute of Agriculture, Technology and Sciences, Allahabad, during *Zaid* season of 2009-2010. The experiment was laid out in Randomized Block Design comprised of eight treatment combinations of different genotypes of bottlegourd viz., T_1 : Damini, T_2 : Prasad (NBGH-4000), T_3 : Anmol, T_4 : Anokhi, T_5 : Virat (NBGH-168), T_6 : US-15, T_7 : Local round, T_8 : Local long. Among all the treatment combinations, treatment T_5 : Virat recorded best in terms of days to first male flower anthesis (43.09), days to first female flower anthesis (44.21), days to first harvest (51.14), fruit length (37.04 cm), number of fruits per plant (9.55), fruit weight (1295.03 g), fruit yield (617.14 q/ha), seed pulp ratio (14.50), net income (Rs.471074.24) and cost benfit ratio (1:4.23). Treatment T_8 performed best in case of number of nodes to first male flower appearance (16.38) and number of nodes to first male flower appearance (17.49) Treatment T_5 produced maximum flower, fruit yield and most economics, therefore, can be recommended to farmer for commercial cultivation.

KEY WORDS: Bottle gourd, Genotypes

HOW TO CITE THIS ARTICLE: Singh, B. and Singh, S.K. (2014). Evaluation trial of bottle gourd. *Asian J. Hort.*, **9**(1): 116-119.