International Journal of Agricultural Sciences Volume 15 | Issue 2 | June, 2019 | 283-287

## **RESEARCH PAPER**

# Energy use pattern of rice production in Eastern Agro-Climatic Zone of Haryana

Parmod Sharma, Yadvika\*, Kanishk Verma **and** Y. K. Yadav Department of Renewable and Bio-Energy Engineering, C.C.S. Haryana Agricultural University, Hisar (Haryana) India (Email: sharma.parmod2008@gmail.com)

**Abstract :** Paddy covers approximately half of the total area covered by cereal crops in India. Rice crop cultivated under watery condition either by storing canal water or pumping water or both, by utilizing a lot of electric/diesel energy especially when pumping is carried out. The amount of rice production is a direct function of energy inputs and outputs. The aim of this study was to examine the operation-wise and source-wise energy consumption pattern in rice crop production in eastern agro-climatic zone of Haryana. The data was collected through a questionnaire by face to face interviews. The amount of energy consumed in seedlings, land development, land preparation, transplanting, irrigation, weeding, fertilizer, harvesting and threshing and transportation were calculated for rice crop cultivation. The energy inputs in seed, human, diesel, electricity, machinery and fertilizer were taken into consideration to determine the source wise energy that was used in rice production. The average energy input of large farmers (LF), marginal farmers (MF) and small farmers (SF) was observed to be 43693.82, 42557.21 and 41915.70 MJ/ ha, respectively while output energy was 146660, 144528 and 136596 MJ/ha, respectively. Specific energy of large, medium and small category framers were 8.24, 8.12, and 8.50 MJ/ha, respectively. The result revealed that irrigation, fertilizer and electricity consumed the bulk of energy. The result also showed that energy ratio, energy productivity and net energy gain of all category farmers were lie within the range of 3.26 to 3.40, 0.09 to 0.12 kg/MJ and 94680.30 to 102966.18 MJ/ha, respectively. Yield rice grain per hectare of large, medium and small category framers were 53.00, 52.40 and 49.30 quintal, respectively.

Key Words : Rice, Energy Input, Energy output, Specific energy

View Point Article : Sharma, Parmod, Yadvika, Verma, Kanishk and Yadav, Y.K. (2019). Energy use pattern of rice production in Eastern Agro-Climatic Zone of Haryana. *Internat.J.agric.Sci.*, **15** (2) : 283-287, **DOI:10.15740/HAS/IJAS/15.2/283-287.** Copyright@2019: Hind Agri-Horticultural Society.

Article History : Received : 07.04.2019; Revised : 11.05.2019; Accepted : 20.05.2019

### **INTRODUCTION**


India is the  $2^{nd}$  largest producer of rice next to China. In India, it is grown in an area of 40 mha annually with a production of 90 Mt and accounts for 45 per cent of food grain production in the country (Singh *et al.*, 2013). Punjab and Haryana are the major contributor in the national food basket. In Haryana, rice was grown over an area of 1.38 mha with total production of 4.45 Mt and productivity 3450 kg/ha during 2016-17(Anonymous, 2017). Rice is the second most important cereal crop of Haryana after wheat. Energy is one of the major inputs

\*Author for correspondence:

for the economic development of any country (Deshmukh and Patil, 2013). Nothing could be completed in our life without the use of energy. In the developed countries, increase in the crop yield was mainly due to the increase in commercial energy inputs in addition to improved varieties (Faidley, 1992). Agriculture is both a producer and consumer of energy. It uses large quantities of locally available non-commercial energy such as seed, manure and animate energy as well as commercial energies, directly and indirectly, in the form of diesel, electricity, fertilizer, plant protection, chemical, irrigation water, machinery etc. Efficient use of these energies help to achieve increased production and productivity and contributes to the profitability and competitiveness of agriculture sustainability in rural living (Singh, 2002). Energy use in agriculture has been increasing in response to increasing population, limited supply of arable land and a desire for higher standards of living (Kizilaslan, 2009). The increase use of inputs such as fertilizer, irrigation water, diesel, plant protection chemicals, electricity etc. demand more energy in the form of human, animal and machinery. For production of rice crop, more energy is used in comparisons to other cereal crop like wheat, barley, pearl millet etc. Thus, the purpose of the present study was to carry out an analysis of energy use pattern in rice crop production system for efficient use of available natural resources, proper energy management/ conservation and minimization of energy losses during different unit operations of rice crop production. Keeping the above facts in view, present study was conducted in an eastern agro-climatic zone of Haryana with the objective to study energy use pattern of rice crop production.

### MATERIAL AND METHODS

The study area included villages of eastern agroclimatic zone of Haryana. The village's selection criteria were based on the spatial variability along with cropping pattern, cultural practices, irrigation facility and energy use levels. Questionnaire was prepared for collecting data in a face to face interview schedule from farmers regarding different operations and quantity of each input (*i.e.* machinery, fuel, fertilizer, irrigation water, labour, etc.). Energy used was calculated in the production of rice crop by using energy analysis technique. The farmers were grouped in to three categories *viz.*, small, medium and large farmers on the basis of cultivable land available with farmers. The following classification was used in accordance with the classification used by the Indian Council of Agricultural Research (ICAR) (Mittal *et al.*, 1985). Energy efficiency, energy productivity, specific energy and net energy gain for rice production were also calculated using the equations as suggested in literature (Khan and Singh, 1997; Mandal *et al.*, 2002; Khan *et al.*, 2004 and Canakci *et al.*, 2005). Total output energy was determined based on the energy value associated with paddy grain (14.7 MJ/kg dry grain) and energy associated with the paddy straw (13.75MJ/kg dry straw).



### **RESULTS AND DISCUSSION**

The results obtained from the present investigation as well as relevant discussion have been summarized under following heads :

# Operation and source wise energy use pattern (MJ/ ha):

Fig. 1 and 2 illustrate the operation-wise and sourcewise energy use pattern of large farmers (LF) for production of rice crop. There were twelve main operations which consumed energy during rice crop production. As in case of large farmers irrigation was the main energy consuming operation which consumed almost 54.61 per cent of total energy followed by fertilizer which contributed around 20.12 per cent. Seedlings played a least role in energy consumption. Other operations contributed within range of 8.49 per cent to 0.80 per cent. It can be seen from the Fig. 2 that amongst the total energy sources, electricity was the major source of energy consumption followed by fertilizer (22.34%), diesel (15.90%), machinery (6.54%), human (1.11%) and seed (0.97%).




Fig. 1 : Operation-wise energy consumption




Fig. 2 : Source-wise energy consumption

The Fig. 3 and 4 depict the operation-wise and source-wise energy consumption per hectare of marginal farmers (MF) for paddy crop production, respectively. It can be seen from Fig. 3, the irrigation consumed large energy *i.e.* more than 50 per cent of the energy used in other operations. Fertilizer consumed 17.96 per cent and the second largest energy




Fig. 3 : Operation-wise energy consumption




Fig. 4 : Source-wise energy consumption

consuming operation. Equal amount of energy consumed in seedlings and green manure operation *i.e.* 1.85 per cent. Puddling, land preparation, land development, transportation, harvesting and threshing and transplanting contributed 8.57, 6.17, 2.59, 1.72, 1.60 and 1.49 per cent, respectively. While weeding as operation has the smallest role to play in energy consumption. As far as source-wise energy consumption pattern of marginal farmers was concerned, it can be observed from Fig. 4 that electricity made the highest contribution in energy consumption followed by fertilizer while human energy contributed in a significant manner. Diesel, machinery and human contributed 12.43 per cent, 7.24 per cent and 1.16 per cent, respectively in energy use pattern.

The two Figure (pie-charts) illustrate the operation wise and source wise energy use pattern (MJ/ha) of small farmers (SF) for production of rice crop. It is clear

from the Fig. 5 that irrigation represents the largest energy consuming operation followed by fertilizers among all the operations whereas weeding operation is undoubtedly the smallest. Puddling, land preparation, seedling preparation, transportation, transplanting, harvesting and threshing contributed 7.88, 5.95, 2.02, 1.79, 1.51 and 1.57 per cent, respectively. It can be seen from Fig. 6 that




Fig. 5 : Operation-wise energy consumption




Fig. 6 : Source-wise energy consumption

among the total energy sources, electricity was found to be the major source of energy consumption followed by fertilizer (26.90%), diesel (10.05%), human (1.68%), machinery (4.59%) and seed (0.50%).

#### **Energy inputs:**

Direct energy inputs include human and fuel, whereas, Indirect energy inputs include machinery, seed, fertilizer and pesticide for rice production. Direct and indirect energy were computed using the equations adopted by Khambalkar *et al.* (2010), Chaudhary *et al.* (2006), Bockari-Gevao *et al.* (2005). In case of indirect energy inputs per hectare, the relative energy used by MF and SF were 3.33 and 1.92 per cent, respectively as compared to LF. In case of direct energy inputs per hectare, the relative sergy inputs per hectare, the relative energy inputs per hectare, the relative energy used by MF and SF were 25.81 and 36.40 per cent, respectively as compared to LF category.

# Variation of indicators of energy usage efficiency for different category of farmers:

Table 1 present different indicators of energy usage efficiency like net energy gain, energy ratio, specific energy, energy productivity etc. These would help in analysis of energy use efficiency during rice crop production. It can be seen from table that input energy of large farmers was high (43693.82 MJ/ha) as compared to medium farmers (42557.21 MJ/ha) and small farmers (41915.70 MJ/ha). In case of total output energy, the relative energy used by MF and SF were 1.45 and 6.86 per cent, respectively as compared to LF. Net energy gain varied from 94680.30-102966.18 MJ/ha among all categories of farmers. Specific energy of large, medium and small category framers was 8.24, 8.12 and 8.50 MJ/ ha, respectively. This indicated that energy input per kg of product was quite high in case of large farmers. Energy productivity varied between 0.09 to 0.12 kg/MJ among all categories.

Table 1: Energy usage efficiency indicators for different category of farmers			
Energy indicators	Large farmers	Medium farmers	Small farmers
Total input energy MJ/ha	43693.82	42557.21	41915.70
Total output MJ/ha	146660.00	144528.00	136596.00
Net energy gain MJ/ha	102966.18	101970.79	94680.30
Energy ratio	3.36	3.40	3.26
Specific energy MJ/kg	8.24	8.12	8.50
Energy productivity kg/MJ	0.12	0.11	0.09
Yield rice grain kg/ha	5300.00	5240.00	4930.00

Internat. J. agric. Sci. | June, 2019 | Vol. 15 | Issue 2 | 283-287

#### **Conclusion:**

Energy analysis has been carried out to evaluate the energy requirement in rice crop. The results showed that due to application of flood irrigation in paddy cultivation and also water pumped from below ground surface sources by electrical pump, the inputs had the largest portion among the energy inputs to paddy cultivation that this matter increased energy use in the unit area and also reduced energy efficiency and productivity. Therefore, by ensuring optimal energy inputs at different stages rice production per hectare of the farmers could be increased, which result increased the farmers income. The result also revealed that, manual energy increased with the size of land holding which indicate that use of more number of labours by small farmers as compared to larger ones. This indicated the large farmers used less labour for performing different operations which took more time and more energy. On the basis of source wise energy use pattern, electricity was found to be highest energy consuming source followed by fertilizer in all categories farmer. The result indicated that the energy productivity was lowest for large farmers followed by medium and small farmers. Seed energy decreased with the size of land holding which indicated the higher used of seed by small farmers.

#### REFERENCES

Anonymous (2017). *Accessed from agricoop.nic.in*. Department of Agriculture Cooperation and Farmer Welfare.

Bockari-Gevao, S. M., Wam Ishak, W. I., Azmin, Y. and Chan, C. W. (2005). Analysis of energy consumption in low land rice-based cropping system of Malaysia. *Songklanakarin J. Sci. & Technol.*, 27(4): 819-826.

Canakci, M., Topakci, M., Akinci, I. and Ozmerzi, A. (2005). Energy use pattern of some field crops and vegetable production: Case study for Antalya Region, Turkey. *Energy Conversion & Management*, **46**: 655-666. **Chaudhary, V.P., Gangwer, B. and Pandey, D. K. (2006).** Auditing of energy use and output of difference cropping systems in India. *Agricultural Engineering International: The CIGR e-journal*, ManuscriptbEE05 001, **8**.

**Deshmukh, S.C. and Patil, V.A. (2013).** Energy conservation and audit. *Internat. J.Scientific & Res. Public.*, **3**(8) : 2250-3153.

**Faidley, L. W. (1992).** Energy and agriculture. In: R.C. Fluck (Ed), *Energy in farm production*, Elsevier, Amsterdam: 1-12pp.

Khambalker, V., Pohare, J., Katkhede, S., Bunde, D. and Dahatonde, S. (2010). Energy and economic evaluation of farm operations in crop production, *J. Agric. Sci.*, **2**(4) : 191-200.

Khan, M.A. and Singh, G. (1996). Energy inputs and crop production in Western Pakistan. *Energy*, **21**(1): 45-53.

Khan, M.A., Ahmad, S., Hussain, Z., Yasin, M., Aslam, M. and Majid, R. (2004). Efficiency of water and energy use for production of organic wheat. *J. Sci. Technol. & Develop.*, 24 (1): 25-29.

**Kizilashan, H. (2009).** Input-output analysis of cherries production in Tokat province of Turkey. *Appl. Energy*, **86** : 1354-1358.

Mandal, K.G., Saha, K.P., Ghosh, P.K. and Hati, K.M. (2002). Bandyopadhyay, Bioenergy and Economic analysis of Soybean-based crop production system in central India. *Biomass & Bio-energy*, 23: 337-345.

Mittal, V. K., Mittal, J. P. and Dhawan, K. C. (1985). Research digest on energy requirements in agricultural sector. College of Agricultural Engineering, Punjab Agricultural University, Ludhiana (Punjab) India.

**Singh, G. (2002).** Energy conservation through efficient mechanized farming, *Agricultural Engineering Today's*, **24**(2): 351-536

Singh, K., Kumar, V., Saharawat, Y. S., Gathala, M. and Ladha, J.K. (2013). Weedy rice: An emerging threat for DSR production systems in India. *J. Rice Res.*, 1: 106.

