

DOI: 10.15740/HAS/AU/15.1and2/87-89 Agriculture Update\_\_\_

Volume 15 | Issue 1 and 2 | February and May, 2020 | 87-89 Visit us : www.researchjournal.co.in



## **Research Article:**

# Front line demonstrations in greengram in Visakhapatnam district of Andhra Pradesh

P.B. Pradeep Kumar and K. Tejeswara Rao

ARTICLE CHRONICLE : Received : 26.03.2020; Revised : 13.04.2020; Accepted : 21.04.2020

KEY WORDS: Greengram, Yield, FLD, Cost of cultivation

Author for correspondence :

P.B. Pradeep Kumar District Agricultural Advisory and Transfer of Technology Centre (ANGRAU), Kondempudi, Visakhapatnam (A.P.) India Email: pradeepagrico@ yahoo.com

See end of the article for authors' affiliations

**SUMMARY :** The study was conducted at Visakhapatnam district of Andhra Pradesh on FLD in greengram by Scientists of district Agricultural Advisory and Transfer of Technology Centre of ANGRAU. Greengram crop was sown as rice fallow in *Rabi* season during 2018-19 and 2019-20 in an area of 1803 ha and 2739 ha also it was found in an increase in yield of 35.4 per cent and 38.7 per cent in FLD field, respectively. Thus, it was concluded that front line demonstrations conducted under the close supervision of scientists is one of the most important tools of extension to demonstrate crop management practices at farmers' field. FLDs motivate farmers to adopt scientific practices. So, FLDs are to be designed, supervised with extension activities *viz.*, training programmes, demonstration, field days etc. to increase yields and profits of farmers.

How to cite this article : Pradeep Kumar, P.B. and Rao, K. Tejeswara (2020). Front line demonstrations in greengram in Visakhapatnam district of Andhra Pradesh. *Agric. Update*, **15**(1 and 2): 87-89; **DOI : 10.15740/ HAS/AU/15.1and2/87-89.** Copyright@ 2020: Hind Agri-Horticultural Society.

# **B**ACKGROUND AND **O**BJECTIVES

Pulses are versatile crops, grown for nutritional security and soil health. United Nation declared year 2016 as "International Year of Pulses". India happens to be major producer, consumer and importer of pulses. Sudhakar Rao *et al.* (2018).

Usually in Visakhapatnam district pulses are grown under rice fallows. Normally greengram is cultivated in an area of 3750 ha under rainfed situation and the mean productivity is 4.8q/ha. The low yields are due to age old varieties, no seed treatment, terminal stress, improper and untimely plant protection, *Cercospora / Corynospora* leaf spot, YMV, powdery mildew, pod borer, sucking pest complex.

Front line demonstration is an important method of transfer of technology to farmers, it show cases the technologies in farmers field under real farm situation. The present study has been undertaken to study the effect of FLD technology and farmers practice in greengram cultivation. The important varieties of greengram cultivated in the district were LGG 460, IPM 2-14. The following table depicts the area of greengram cultivation in Visakhapatnam district.

As per the Table A during *Rabi* 2018-19 and 2019-20 greengram was cultivated in 1803 ha and 2379 ha, respectively.

Table A: Area of pulses in Visakhapatnam district								
Year	Crop	Normal area (ha.)	Actual area (ha.)					
Rabi 2018-19	Greengram	3770	1803					
Rabi 2019-20	Greengram	3327	2379					

Table B : Comparison of demonstrated package and farmers package of greengram production Intervention Demonstrated package Farmers package Seed LGG460. IPM 2-14 Local variety Seed treatment Mancozeb @ 2.5g/kg, Imidacloprid 600FS @ 5ml/kg, Rhizobium @2g/kg No seed treatment Plant protection Neem oil, Acephate, Thioidcarb, Chlorpyriphos, sticky traps Monochrotphos Nutrients 19-19-19 spray No nutrients spray Storage Hermatic bags No Hermatic storage bags

#### **R**ESOURCES AND **M**ETHODS

In Visakhapatnam district 10 mandals were selected *viz.*, Cheedikada, K. Kotapadu, Bucchayyapeta, Rolugunta, Devarapalle, Madugula, Kotavaratla, Anandapuram and Padmanabham, Achutapuram and from each mandal 2 villages were selected to implement DBT BioTech *Kisan* Hub project. The following inputs were provided under DBT *Kisan* Biotech Hub project to the farmers. The demonstrations on greengram were carried in 20 hectares in farmers field during *Rabi* 2018-19 and 2019-20.

As per the Table B, interventions of FLD in greengram consists of five components *viz.*, certified seed LGG460, IPM2-14, seed treatment with mancozeb @ 2.5g/kg, imidacloprid 600FS @ 5ml/kg, rhizobium @ 2g/kg, pesticides *Neem* oil, acephate, thioidcarb, chlorpyriphos against different pests, nutritional spray with 19-19-19 and hermatic bags for storage of the produce. The data was collected from demonstration field as well as farmers field on yield/ha and economics of cost of cultivation were calculated. The demonstrations were conducted under close supervision of Scientist of District Agricultural Advisory and Transfer of Technology Centre

(DAATTC), Visakhapatnam District of Acharya N.G. Ranga Agricultural University.

## **OBSERVATIONS AND ANALYSIS**

The findings of the present study as well as relevant discussion have been summerized under following heads:

# Frontline demonstration technologies and farmers practice:

During *Rabi* season of 2018-19 and 2019-20 greengram was sown under rice fallow in demonstrated field and farmers field. The FLD fields were under close guidance with package of practices of DAATTC scientist. In farmers field, there was no seed treatment, plant protection practices and nutrient spray. The yield and economics of cost of cultivation was calculated.

From the Table 1 it was evident that, during *Rabi* 2018-19 average yield of greengram from demonstrated field was 6.5q/ha and in farmer practice 4.8q/ha was recorded with an increase in 35.4 per cent in yield.

During the year *Rabi* 2019-20 average yield of greengram from demonstrated field was 6.8q/ha. and in farmer practice 4.9q/ha was recorded with an increase

Crop and year	No. of Demos	Area (ha.)	Yield (q/ha)			Per cent increase	Economics of demonstration (Rs./ha)			Economics of farmers practice (Rs./ha)					
			High	Low	Average	Farmers practice	over farmers practice	Gross cost	Gross returns	Net returns	B:C	Gross cost	Gross returns	Net returns	B:C
Greengram (LGG460) 2018-19	25	10	7.2	5.0	6.5	4.8	35.4	8560	35,750	27,190	1:3.2	6800	27,500	20,700	1:3.0
Greengram ( IPM 2-14) 2019-20	25	10	7.6	5.2	6.8	4.9	38.7	9970	47,940	37,970	1:3.8	8080	34,545	27,265	1:3.3



Agric. Update, 15(1&2) Feb. & May, 2020: 87-89

Hind Agricultural Research and Training Institute

in 38.7 per cent in yield.

In a similar study by Jain (2016) found that 33.5 per cent higher grain yield was recorded in greengram under demonstration over the farmers practice.

The net returns in demonstrated field during the year 2018-19 and 2019-20 was Rs.27,190 and Rs.37,970 with a B:C of 1:3.2 and 1:3.8, respectively. In farmer practice during the year 2018-19 and 2019-20 net returns were Rs. 20,700 and Rs. 27,265 with a B:C of 1:3.0 and 1:3.3, respectively.

This was also evident in the study on popularization of maize production technology through front line demonstration in tribal areas of East Godavari by Jyothi Swaroopa *et al.* (2016) and study on performance of frontline demonstration on yield enhancement of cumin in Barmer district of Rajasthan by Morwal *et al.* (2018).

#### **Conclusion:**

Front line demonstrations conducted under the close supervision of scientists is one of the most important tools of extension to demonstrate crop management practices at farmers' field. FLDs motivate farmers to adopt scientific practices. So, FLDs are to be designed, supervised with extension activities *viz.*, training programmes, demonstration, field days etc. to increase yields and profits of farmers.

Authors' affiliations :

**K. Tejeswara Rao,** Krishi Vigyan Kendra (ANGRAU) Rastakuntabai (A.P.) India

#### REFERENCES

**Jain, Lokesh Kumar** (2016). Impact assessment of front line demonstrations on greengram in Barmer district of Western Rajasthan. *J. Food Leg.*, **29** (3&4) : 249-252.

**Jyothi Swaroopa, V.,** Mounica, D., Pavani, U. and Dhanu, Sree (2016). Popularization of maize production technology through front line demonstration in tribal areas of East Godavari. *J. Krishi Vigyan*, **4**(2): 80-82.

**Morwal, B. R.,** Pagaria, Pradeep, Kantwa, S. L. and Das, Shayam (2018). Performance of frontline demonstration on yield enhancement of cumin in Barmer district of Rajasthan. *J. Krishi Vigyan*, **6** (2): 176-178.

Sudhakar Rao, M.S., Singh, N. and Bhatt, B.K. (2018). Performance of pulses in Gujarat: A district level assessment. *Curr. Agric. Res.*, 6(1): 45-53.



89