An Anomalous Megagametophyte of *Alysicarpus vaginalis* DC.: Further Evidence of a Criticism of Sareen and Wadhwa (1981)*

S.A. SALGARE

Salgare Research Foundation Pvt. Ltd., Prathamesh Society, Shivaji Chowk, KARJAT (M.S.) INDIA

(Accepted: September, 2009)

Key words: Embryology of Angiosperms

The present paper describes an anomalous megagametophyte of Alysicarpus vaginalis DC. of the tribe Hedysareae of the Papilionaceae. The normal megagametophyte of A. vaginalis is monosporic, eightnucleate with Polygonium type of development. Normally the functional megaspore undergoes three mitotic divisions resulting into eight nuclei which are arranged into two groups of four each. Three nuclei from the micropylar quartet organize into the egg apparatus consisting of the egg and two synergids. The cells of the egg apparatus are large, elongated, and pear-shaped. The fourth nucleus from the micropylar quartet forms the upper polar nucleus. The antipodals, formed from the three nuclei of the chalazal quartet, while the fourth nucleus from the chalazal quartet forms the lower polar nucleus. The antipodal cells, within the narrow protruding chalazal end of the megagametophyte are situated one above the other in a linear fashion or form a pyramid. The egg apparatus and two synergids in which there is no evidence of filiform apparatus and about the same size. Both the polar nuclei move to the upper half of the megagametophyte and there they do not fuse but lie side by side and most probably remain in this stage till fertilization.

At one instance a peculiar megagametophyte was noted in Alysicarpus vaginalis. In this megagametophyte three nuclei from the micropylar quartet organized into the egg apparatus consisting of the egg and two synergids. The cells of the egg apparatus are large, elongated, and pear-shaped. At the chalazal end five cells were observed. They are arranged into three tiers (2+1+2). However, in this anomalous megagametophyte the polar nuclei were missing. It is every possibility that the fourth nucleus from the micropylar quartet might have shifted to the chalazal end, instead of forming the upper polar, it might have contributed to the additional cell. Fourth nucleus of the chalazal quartet instead of migrating to the upper half of the megagametophyte might have settled down and formed the fourth cell. As

a result of which at the chalazal end (at the usual position of the antipodals) five cells are seen. In this anomalous megagametophyte the polar nuclei are missing. The absence of the polar nuclei was also recorded by the author (1975) in Phaseolus aconitifolius. It was the failure of Sareen and Wadhwa (1981) to trace out such an important anomaly in the megagametophytes of A. vaginalis which prove their superficial and misleading observations. This was also pointed out earlier by the author (1974, 75a, b, 78, 86, 2001, 06).

REFERENCES

- Salgare, S.A. (1974). Embryology of Phaseolus aconitifolius, with a discussion on the position of the Phaseoleae in the system of embryogenic classification. Proc. 61st Session Indian Sci. Cong. held on January 3-7, 1074 at Nagpur. Bot. Section 3:1-2, Abstract No. 2.
- **Salgare, S.A. (1975a).** On the early embryogeny of Alysicarpus vaginalis DC. Proc. 62nd Session Indian Sci. Cong., held on January 3-7, 1975 at Delhi. Bot. Section 3:79, Abstract No. 117.
- **Salgare, S.A.** (1975b). IV. On the megagametophyte of Phaseolus aconitifolius Jacquin. OBS. *J. Indian Bios. Asso.*, 1:160-172.
- **Salgare, S.A.** (1978). Occasional occurrence of a single fertilization in Papilionaceae. Proc. 65th Session Indian Sci. Cong., held on January 3-7, 1978 at Ahmedabad. Bot. Section 3:86, Abstract No. 197.
- **Salgare, S.A.** (1986). Embryological studies in Papilionaceae. The genus Alysicarpus Neck Ex Desv. Proc. Special Indian Geophytological Conf., held on November 27-29 at Deptt. Bot., Univ. Poona, Pune 411 007. 1986. Abstract No. 44.
- **Salgare, S.A.** (2001). A fresh light on the embryology of Alysicarpus: A Critical Review. *Plant Archives*, 1:65-73.

336 S.A. SALGARE

Salgare, S.A. (2006). Further Evidence of a Criticism of the Findings of Sareen and Wadhwa (1981)*. *Internat. J. Biosci. Reporter,* **4**:81-82.

Sareen, T.S. and Wadhwa, K. (1981). Embryological studies in Papilionaceae. The genus Alysicarpus neck. Proc. 68th Session Indian Sci. Cong., held on January 3-7, 1981 at Varanasi. Bot. Section 3:62, Abstract No. 153.